


Tubes & Tiges de forage


MECADRILL®















Outils petites perforations

8-10, rue Gustave Eiffel - ZI des Noues de Seine - 91350 Grigny - France
01 69 12 66 44 - mecadrill@saml.fayat.com
MECADRILL

CASING SELECTOR



2 Feet

Size	4.75 in	6 in	7 in	8 in	9.25 in	10.5 in	12 in

5 Feet

Size	4.75 in	6 in	7 in	8 in	9.25 in	10.5 in	12 in

10 Feet

Size	4.75 in	6 in	7 in	8 in	9.25 in	10.5 in	12 in

*Casing and related accessories are designed with **left** hand threads.

Core Barrel Bits



Standard Core Barrel Bits
Usage: Normal multipurpose operating conditions

Size	3.75 in	4.75 in	6 in	7 in	8 in	9 in	10.5 in



HD Core Barrel Bit
Usage: Moderately abrasive formations

Size	3.75 in	4.75 in	6 in	7 in	8 in



HD Core Barrel Bit with Wear Plates
Usage: Severly abrasive formations

Size	3.75 in	4.75 in	6 in	7 in	8 in

Casing Shoes



Steel Casing Shoes
Usage: Normal multipurpose operating conditions

Size	4.75 in	6 in	7 in	8 in	9.25 in	10.5 in	12 in



Heavy Duty Casing Shoes with Wear Pad
Usage: Contains tungsten carbide wear pads for severely abrasive formations

Size	6 in	7 in	8 in	9.25 in	10.5 in	12 in



Sandstone Casing Shoes
Usage: Abrasive or in swelling ground conditions
(can also be used in conjunction with the full face core barrel bit)

Size	4.75 in	6 in

8-10, rue Gustave Eiffel - ZI des Noues de Seine - 91350 Grigny - France
01 69 12 66 44 - mecadrill@saml.fayat.com
MECADRILL

BIT AND SHOE SELECTOR

Core Barrel Bit	Core Size	Casing Shoes						
Size*	Size**	4.75 in	6 in	7 in	8 in	9.25 in	10.5 in	12 in
3.75 in	3 in	●	●	●	●	●	●	●
4.5 in	3.5 in		●	●	●	●	●	●
4.75 in	4 in		●	●	●	●	●	●
6 in	5 in			●	●	●	●	●
7 in	6 in				●	●	●	●
8 in	7 in					●	●	●
9 in	8.5 in						●	●
10.5 in	9.5 in							●

*Casing and related accessories are designed with **left** hand threads.

CORE BARREL SELECTOR

= Ideal combination = Optional combinations

Casing	Core Barrel							
Size	3.75 in	4.5 in	4.75 in	6 in	7 in	8 in	9.25 in	10.5 in
4.75 in	●							
6 in	●	●	●	●				
7 in	●	●	●	●	●			
8 in	●	●	●	●	●	●		
9.25 in	●	●	●	●	●	●	●	
10.5 in	●	●	●	●	●	●	●	●
12 in	●	●	●	●	●	●	●	●

Core Size (determined by inner-diameter of bit)							
3 in	3.5 in	4 in	5 in	6 in	7 in	8.5 in	9.5 in

DRILL ROD MID-BODY DIMENSIONS

	Inner Diameter		Outer Diameter	
Size	Metric	U.S.	Metric	U.S.
3.5 in Standard	76.2 mm	3 in	88.9 mm	3.5 in

DRILL ROD THREAD-ENDS DIMENSIONS

	Inner Diameter		Outer Diameter	
Size	Metric	U.S.	Metric	U.S.
3.5 in Standard	63.5 mm	2.5 in	88.9 mm	3.5 in

*Drill rod, core barrels and related accessories are designed with right hand threads.

8-10, rue Gustave Eiffel - ZI des Noues de Seine - 91350 Grigny - France
01 69 12 66 44 - mecadrill@saml.fayat.com
MECADRILL